

Diagnostic List Eaton_v5.31

Remark:

1. ✓ : means that the system has this function

2. - : means that the system does not have this function

3. compared with the last version, the new added function is marked in red color.

Model	Vehicle Information	ECU Info	Read Codes	Erase Codes	Live Data	Service Routines	Remark (other functions)
Non-Configured Eaton Transmission	✓	✓	✓	✓	-	-	J1708 - Product Configuration
AutoShift 6-Speed (Gen2)	✓	✓	✓	✓	✓	-	J1708 - Product Configuration
AutoShift 7-Speed (Gen2)	✓	✓	✓	✓	✓	-	J1708 - Product Configuration
AutoShift 10-Speed (Gen2)	✓	✓	✓	✓	✓	-	J1708 - Product Configuration
AutoShift 18-Speed (Gen2)	✓	✓	✓	✓	✓	-	J1708 - Product Configuration
UltraShift 6-Speed ASW (Gen2)	✓	✓	✓	✓	✓	J1708 - Calibrate Clutch J1708 - Clear Clutch Data	J1708 - Product Configuration
UltraShift 10-Speed DM (Gen2)	✓	✓	✓	✓	✓	J1708 - Calibrate Clutch J1708 - Clear Clutch Data	J1708 - Product Configuration
Hybrid 6-Speed (Gen2)	✓	✓	✓	✓	✓	-	J1708 - Product Configuration
AutoShift 6-Speed (Gen3)	✓	✓	✓	✓	✓	J1708 - Driver Interface Reset Utility	J1708 - Product Configuration
UltraShift 6-Speed ASW (Gen3)	✓	✓	✓	✓	✓	J1708 - Calibrate Clutch J1708 - Clear Clutch Data J1708 - Driver Interface Reset Utility	J1708 - Product Configuration
UltraShift 6-Speed DM (Gen3)	✓	✓	✓	✓	✓	J1708 - Calibrate Clutch J1708 - Clear Clutch Data J1708 - Park Pawl (T-Handle) Calibration J1708 - Driver Interface Reset Utility	J1708 - Product Configuration
AutoShift 10-Speed (Gen3)	✓	✓	✓	✓	✓	J1708 - Driver Interface Reset Utility	J1708 - Product Configuration
AutoShift 18-Speed (Gen3)	✓	✓	✓	✓	✓	J1708 - Driver Interface Reset Utility	J1708 - Product Configuration
UltraShift 10-Speed LST DM (Gen3)	✓	✓	✓	✓	✓	J1708 - Calibrate Clutch J1708 - Clear Clutch Data J1708 - Driver Interface Reset Utility	J1708 - Product Configuration
UltraShift 13-Speed LEP DM (Gen3)	✓	✓	✓	✓	✓	J1708 - Calibrate Clutch J1708 - Clear Clutch Data J1708 - Driver Interface Reset Utility	J1708 - Product Configuration
UltraShift 13L-Speed LHP DM (Gen3)	✓	✓	✓	✓	✓	J1708 - Calibrate Clutch J1708 - Clear Clutch Data J1708 - Driver Interface Reset Utility	J1708 - Product Configuration
UltraShift 18-Speed DM (Gen3)	✓	✓	✓	✓	✓	J1708 - Calibrate Clutch J1708 - Clear Clutch Data J1708 - Driver Interface Reset Utility	J1708 - Product Configuration
AutoSelect 18-Speed (Gen3)	✓	✓	✓	✓	✓	-	J1708 - Product Configuration
UltraShift 5-Speed DM (Gen3)	✓	✓	✓	✓	✓	J1708 - Calibrate Clutch J1708 - Clear Clutch Data J1708 - Park Pawl (T-Handle) Calibration J1708 - Driver Interface Reset Utility	J1708 - Product Configuration
MD Hybrid 6-Speed Transmission	✓	✓	✓	✓	✓	J1708 - Driver Interface Reset Utility J1708 - Park Pawl (T-Handle) Calibration	J1708 - Product Configuration
UltraShift 10-Speed CRV (DM) (Gen3)	✓	✓	✓	✓	✓	J1708 - Calibrate Clutch J1708 - Clear Clutch Data J1708 - Driver Interface Reset Utility	J1708 - Product Configuration

Diagnostic List Eaton_v5.31

Remark:

1. ✓ : means that the system has this function

2. - : means that the system does not have this function

3. compared with the last version, the new added function is marked in red color.

Model	Vehicle Information	ECU Info	Read Codes	Erase Codes	Live Data	Service Routines	Remark (other functions)
UltraShift 13-Speed LHP CRV (DM) (Gen3)	✓	✓	✓	✓	✓	J1708 - Calibrate Clutch J1708 - Clear Clutch Data J1708 - Driver Interface Reset Utility	J1708 - Product Configuration
MD EPS	✓	✓	✓	✓	✓	-	J1708 - Product Configuration
UltraShift PLUS 13-Speed MHP	✓	✓	✓	✓	✓	J1708 - Driver Interface Reset Utility J1939 - Grade Sensor Calibration J1939 - Driver Interface Reset Utility J1939 - Adjust Clutch J1939 - Clear Clutch Data J1939 - Move Clutch To Service Position J1939 - Open Clutch J1939 - Low Capacity Inertia Brake Test J1939 - Grease Interval Reset	J1708 - Product Configuration
UltraShift PLUS 18-Speed MXP	✓	✓	✓	✓	✓	J1708 - Driver Interface Reset Utility J1939 - Grade Sensor Calibration J1939 - Driver Interface Reset Utility J1939 - Adjust Clutch J1939 - Clear Clutch Data J1939 - Move Clutch To Service Position J1939 - Open Clutch J1939 - Low Capacity Inertia Brake Test J1939 - Grease Interval Reset	J1708 - Product Configuration
UltraShift PLUS 18-Speed VXP	✓	✓	✓	✓	✓	J1708 - Driver Interface Reset Utility J1939 - Grade Sensor Calibration J1939 - Driver Interface Reset Utility J1939 - Adjust Clutch J1939 - Clear Clutch Data J1939 - Move Clutch To Service Position J1939 - Open Clutch J1939 - Low Capacity Inertia Brake Test J1939 - Grease Interval Reset	J1708 - Product Configuration
UltraShift PLUS 8-Speed VCS	✓	✓	✓	✓	✓	J1708 - Driver Interface Reset Utility J1939 - Grade Sensor Calibration J1939 - Driver Interface Reset Utility J1939 - Adjust Clutch J1939 - Clear Clutch Data J1939 - Move Clutch To Service Position J1939 - Open Clutch J1939 - Low Capacity Inertia Brake Test J1939 - Grease Interval Reset	J1708 - Product Configuration
UltraShift PLUS 9-Speed VMS	✓	✓	✓	✓	✓	J1708 - Driver Interface Reset Utility J1939 - Grade Sensor Calibration J1939 - Driver Interface Reset Utility J1939 - Adjust Clutch J1939 - Clear Clutch Data J1939 - Move Clutch To Service Position J1939 - Open Clutch J1939 - Low Capacity Inertia Brake Test J1939 - Grease Interval Reset	J1708 - Product Configuration

Diagnostic List Eaton_v5.31

Remark:

1. ✓ : means that the system has this function

2. - : means that the system does not have this function

3. compared with the last version, the new added function is marked in red color.

Model	Vehicle Information	ECU Info	Read Codes	Erase Codes	Live Data	Service Routines	Remark (other functions)
UltraShift PLUS 6-Speed	✓	✓	✓	✓	✓	J1708 - Driver Interface Reset Utility J1939 - Grade Sensor Calibration J1939 - Driver Interface Reset Utility J1939 - Adjust Clutch J1939 - Clear Clutch Data J1939 - Move Clutch To Service Position J1939 - Open Clutch J1939 - Low Capacity Inertia Brake Test J1939 - Grease Interval Reset	J1708 - Product Configuration
UltraShift PLUS 10-speed LAS	✓	✓	✓	✓	✓	J1708 - Driver Interface Reset Utility J1939 - Grade Sensor Calibration J1939 - Driver Interface Reset Utility J1939 - Adjust Clutch J1939 - Clear Clutch Data J1939 - Move Clutch To Service Position J1939 - Open Clutch J1939 - Low Capacity Inertia Brake Test J1939 - Grease Interval Reset	J1708 - Product Configuration
HD Hybrid 10-Speed Transmission	✓	✓	✓	✓	✓	-	J1708 - Product Configuration
Lightning 10-Speed	✓	✓	✓	✓	✓	-	J1708 - Product Configuration
VORAD Collision Warning System	✓	✓	✓	✓	✓	-	J1708 - Product Configuration
VORAD VS-400 DIU	✓	✓	✓	✓	✓	-	J1708 - Product Configuration
VORAD VS-400 FLR	✓	✓	✓	✓	✓	-	J1708 - Product Configuration
VORAD Monaco VS-400 DIU	✓	✓	✓	✓	-	-	J1708 - Product Configuration
VORAD Monaco VS-400 FLR	✓	✓	✓	✓	-	-	J1708 - Product Configuration
Hydraulic Launch Assist	✓	✓	✓	✓	-	-	J1708 - Product Configuration
Hybrid Control Module CD	✓	✓	✓	✓	✓	J1708 - Grade Sensor Calibration J1708 - Output Override Utility	J1708 - Product Configuration
Hybrid Control Module U	✓	✓	✓	✓	✓	J1708 - Grade Sensor Calibration J1708 - Output Override Utility	J1708 - Product Configuration
Hybrid Control Module UP	✓	✓	✓	✓	✓	J1708 - Grade Sensor Calibration J1708 - Output Override Utility	J1708 - Product Configuration
Hybrid Control Module UPG	✓	✓	✓	✓	✓	J1708 - Grade Sensor Calibration J1708 - Output Override Utility	J1708 - Product Configuration
HD Hybrid Control Module	✓	✓	✓	✓	✓	-	J1708 - Product Configuration
Hybrid Control Module T	✓	✓	✓	✓	✓	J1708 - Grade Sensor Calibration J1708 - Output Override Utility	J1708 - Product Configuration
Hybrid Control Module CDG	✓	✓	✓	✓	✓	J1708 - Grade Sensor Calibration J1708 - Output Override Utility	J1708 - Product Configuration
Hybrid Control Module P	✓	✓	✓	✓	✓	J1708 - Grade Sensor Calibration J1708 - Output Override Utility	J1708 - Product Configuration
Hybrid Control Module CDR	✓	✓	✓	✓	✓	J1708 - Grade Sensor Calibration J1708 - Output Override Utility	J1708 - Product Configuration
Hybrid Control Module PBD	✓	✓	✓	✓	✓	J1708 - Grade Sensor Calibration J1708 - Output Override Utility	J1708 - Product Configuration

Diagnostic List Eaton_v5.31

Remark:

1. ✓ : means that the system has this function

2. - : means that the system does not have this function

3. compared with the last version, the new added function is marked in red color.

Model	Vehicle Information	ECU Info	Read Codes	Erase Codes	Live Data	Service Routines	Remark (other functions)
Daimler Atego HCM-CD	✓	✓	✓	✓	✓	J1708 - Grade Sensor Calibration J1708 - Output Override Utility	J1708 - Product Configuration
DAF/Leyland-CD	✓	✓	✓	✓	✓	J1708 - Grade Sensor Calibration J1708 - Output Override Utility	J1708 - Product Configuration
AutoSelect (Gen1)	✓	✓	✓	✓	✓	-	J1708 - Product Configuration
AutoShift 10-Speed (Gen1)	✓	✓	✓	✓	✓	-	J1708 - Product Configuration
AutoShift 18-Speed (Gen1)	✓	✓	✓	✓	✓	-	J1708 - Product Configuration